



Curtain Motor



HUZHOU DP
INDUSTRY CO., LTD

TEL: +86 572 6267780
Email: dp@China-develop.com
Web: www.China-develop.com

Art.Number
16042

Product Model and Function



Model	Three Plugs	Power Switch	Smart WIFI	Dry Contact Interface	RS485	Electronic Stroke Memory	Power Failure	Power-off Stroke Calibration
Sheep-3				●	●	●	●	●
Sheep-3C	●			●	●	●	●	●
Sheep-5		●		●	●	●	●	●
Sheep-T			●	●	●	●	●	●
Sheep-TC	●		●	●	●	●	●	●

3: Three-core wire


5: Five-core wire

3C: Three-core wire with plug

T: Matching with TUYA APP

TC: Matching with TUYA APP and with the plug

Product Model and Function



Rated torque/Running speed/Wireless frequency/Rated voltage/ Max track/Maximum load/Protection level/Woking temperature	(N.M)	(cm/s)	(MHz)	(V)	(Meter)	(KG)	(IP)	(°C)
	1.2	14	433.92	110~260	4.5	30	20	-10~55
	2.0	14	433.92	110~260	12	60	20	-10~55

Introduction of Product Function

1. Radio frequency function, support wireless remote control (433.92 frequency).
2. Dry contact function, default double button rebound switch, support weak current switch control.
3. 485 function bus switch control.
4. Five-core function, the default double button does not rebound switch and support strong current switch control.
5. Hotel card access function.
6. WIFI smart (app + voice control), matching with "Tuya platform".