



REMOTE CONTROL



Tel: +86-572-6267 780/6266 596 Fax: +86-572-6267 892 E-mail: dp@China-develop.com

Website: www.china-develop.com

REMOTE CONTROL

DP PRODUCTS INFORMATION

FOR MORE INFORMATION,
PLEASE VISIT OUR WEBSITE:
WWW.CHINA-DEVELOP.COM

Remote Control is a kind of control device. With its convenient use, it is widely used in many areas, such as roller shutters, shutter windows and shutter doors etc.

Remote Control has two types: indoor type and outdoor type. It can also be divided into single channel type and multichannel type.

DP produces remote controls, which are widely sold to UK, America, Mid-East, Europe etc with a very good and stable reputation.

16010-B1

■ 8.1cm*12.2cm*3.1cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 500W/1000W
- With two transmitters/ one big transmitter



Transmitter



B.001



B.002

Performance parameter

MODEL	LEARNING CODE	ROLLING CODE	1-4 CHANNELS	PHOTOCELL	ALARM LIGHT	KEY SWITCH	IMPULSE/ DEADMAN	SET RUNNING TIME	SWITCH MOTOR DIRECTION	AUTO-CLOSING	DISTANCE STUDY MODE
16010-B1	●			●		●	●		●		

● Standard ○ Optional

16010-G2

■ 7.3cm*10.8cm*3.1cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 800W/1000W
- With two transmitters



Transmitter



G.002



G.003

Performance parameter

MODEL	LEARNING CODE	ROLLING CODE	1-4 CHANNELS	PHOTOCELL	ALARM LIGHT	KEY SWITCH	IMPULSE/ DEADMAN	SET RUNNING TIME	SWITCH MOTOR DIRECTION	AUTO-CLOSING	DISTANCE STUDY MODE
16010-G2A	●		●						●		
16010-G2B	●		●					●	●	●	

● Standard ○ Optional



16010-G4

■ 6.1cm*10.3cm*2.5cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 800W/1000W
- With two transmitters



16010-G10

■ 6.2cm*10.2cm*2.5cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 800W/1000W
- With two transmitters



16010-G13

■ 6.2cm*10.2cm*2.5cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 800W
- With two transmitters



16010-G14

■ 8.1cm*12.2cm*2.9cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 800W/1000W
- With two transmitters



16010-G24

■ 5.2cm*5.2cm*2.6cm

- 85V-265V/50Hz&60Hz
- Frequency: 433.92MHZ
- Power: 800W
- With one transmitter

Performance parameter

MODEL	LEARNING CODE	ROLLING CODE	1-4 CHANNELS	PHOTOCELL	ALARM LIGHT	KEY SWITCH	IMPULSE/ DEADMAN	SET RUNNING TIME	SWITCH MOTOR DIRECTION	AUTO-CLOSING	DISTANCE STUDY MODE
16010-G4A	●		●						●		
16010-G4B	●							●	●	●	
16010-G10	●										
16010-G13	●		●					●			
16010-G14	●					●	●				
16010-G24	●					●	●		●		●

● Standard ○ Optional



REMOTE CONTROL

For More Information

FOR MORE INFORMATION,
PLEASE VISIT OUR WEBSITE:
WWW.CHINA-DEVELOP.COM

See more at: www.china-develop.com

16010-J18

■ 20.6cm*12.5cm*5.7cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 1000W
- With two transmitters



Transmitter



J.001



J.002



J.005



J.006



J.013



J.028

Performance parameter

MODEL	LEARNING CODE	ROLLING CODE	1-4 CHANNELS	PHOTOCELL	ALARM LIGHT	KEY SWITCH	IMPULSE/ DEADMAN	SWITCH MOTOR DIRECTION	ELECTRONIC LIMIT	15S AUTO-CLOSING	PUSH BUTTON	LEARNING WITH PUJOL	LED BUTTON	DISTANCE STUDY MODE
16010-J18	●	○	●	●	●	●	●	●	●	●	●	○		●

● Standard ○ Optional



16010-J11

■ 10.3cm*14.4cm*5.5cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 1000W
- With two transmitters



16010-J19

■ 5.6cm*4.6cm*2cm

- 230V/50Hz, 110-120V/60Hz
- Frequency: 433MHz
- Power: 800W
- With one transmitter



16010-J20

■ 15.2cm*12.4cm*4.7cm

- 230V/50Hz, 120V/60Hz
- Frequency: 433MHz
- Power: 1000W
- With two transmitters

Performance parameter

MODEL	LEARNING CODE	ROLLING CODE	1-4 CHANNELS	PHOTOCELL	ALARM LIGHT	KEY SWITCH	IMPULSE/ DEADMAN	SWITCH MOTOR DIRECTION	ELECTRONIC LIMIT	15S AUTO-CLOSING	PUSH BUTTON	LEARNING WITH PUJOL	LED BUTTON	DISTANCE STUDY MODE
16010-J11	○	●	●	●	●	●	●							●
16010-J19	●					●								
16010-J20	●	○	●	●	●	●	●	●	●	●	●	○		●

The function can be customized

- Standard
- Optional

16010-Q5

■ 15.5cm*12cm*4cm

- 230V/50 Hz,120V/60Hz
- Frequency: 433MHz
- Power: 1000w
- With two transmitters



Transmitter



Q.001

Performance parameter

MODEL	LEARNING CODE	ROLLING CODE	1-4 CHANNELS	PHOTOCELL	ALARM LIGHT	KEY SWITCH	IMPULSE/ DEADMAN	SWITCH MOTOR DIRECTION	15S AUTO-CLOSING	DISTANCE STUDY MODE	ELECTRONIC LIMIT
16010-Q5	●		●	●	●	●	●	●	●	●	●

● Standard ○ Optional



REMOTE CONTROL

For More Information

FOR MORE INFORMATION,
PLEASE VISIT OUR WEBSITE
WWW.CHINA-DEVELOP.COM

See more at: www.china-develop.com

● Asian market

Singapore
Korea
India
Lebanon
Turkey
Israel

● African market

Egypt
Morocco
Libya
Algeria


● Australia market

● American market

Brazil America
Peru Canada
Argentina Mexico
Chile
Uruguay
Ecuador

● European market

Germany
Greece
Spain
Italy
Hungary



Focus on Quality Continuous innovation

Consistently invest in research and development without distractions, with quality as the belief, from product development, production to application experience, we adhere to the world's leading production standards, dare to create, and ultimately improve the quality of users' life.



See more at: www.china-develop.com