



HUZHOU DP IMPORT & EXPORT CO., LTD

Tel: +86 572 6267780/6031263

Email: DP@China-develop.com

Web: www.China-develop.com



HUZHOU SIMPLE TECHNOLOGY CO., LTD

Add: MeiShan Economic Zone, 313117,  
ChangXing, ZheJiang, China

Tel: +86 572 6660505-809

Web: www.China-develop.com



DP PRODUCTS INFORMATION



## Photocell

SIMPLE Motor, Simple Life!

[www.China-develop.com](http://www.China-develop.com)



# COMPANY

## Information

### 2006

DP company was established, which is specialized in door automation products marketing. We specially deal with kinds of Tubular Motors, Sliding Door Motors, Swing Door Motors, Roller Shutter Door Motors and Door Accessories.

### 2008

SIMPLE Technology was established, it started as 92mm series Tubular Motors production. Now we are producing from 170Nm motors to 550Nm motors in 92mm series, which are most complete range of products in 92mm motors. And we supply kinds of different speeds for different customers choices.

### 2009

SIMPLE Technology started to produce Safety Brakes. Now we have complete range of Safety Brakes with TUV SUD certification.

### 2010-2011

SIMPLE Technology started to produce Key Switches and Key Selectors. Now we have complete range for professional customers demand.

### 2010

SIMPLE Technology started Side Motors production . Now we produce from AC300 to AC2000 and DC300 to DC600 types .

### 2011

SIMPLE Technology started Central Motors production. Now we have already achieved a wide range of Central Motors BOLT F series, BOLT FDM series, TIGER T series, TIGER TDM series, torque range from 70Nm to 460Nm.

### 2015

HOMEMATIC (SIMPLEMATIC) was established in UAE, it is for Middle East market.

### 2017

A “MICROMATIC” new brand was established and dedicated in Control System production.

Below are some pictures of our company.







# Photocell



16014-1

- DC12/24V ● 7M distance
- Reflective type



16014-2

- DC12/24V ● 15M distance
- Correlative type



16014-3

- DC12/24V ● 20M distance
- Correlative type



16014-4

- DC12/24V ● 20M distance
- Correlative type



16014-5

- DC12/24V ● 15M distance
- Correlative type



16014-6

- DC12/24V ● 20M distance
- Correlative type ● Flashing



16014-7

- DC12/24V ● 12M distance
- Correlative type ● Can adjust 0-180 degree of angle



16014-8

- DC12/24V ● 12M distance
- Correlative type ● Can adjust 0-90 degree of angle



16014-9

- DC12/24V ● 12M distance
- Correlative type ● Can adjust 0-180 degree of angle



16014-10

- DC12/24V ● 12M distance ● Flashing
- Correlative type ● Can adjust 0-180 degree of angle



16014-12

- DC12/24V ● 20M distance
- Correlative type



16014-13

- DC12/24V ● 20M distance
- Correlative type